

# UTILITY PATENT APPLICATION TRANSMITTAL

(New Nonprovisional Applications Under 37 CFR § 1.53(b))

Attorney Docket No.

50269-0503

## TO THE COMMISSIONER FOR PATENTS:

Transmitted herewith is the patent application of ( ) application identifier or (X) first named inventor, PRADEEP JAVANGULA et al., entitled APPROACH FOR PROCESSING ELECTRONIC ORDERS, for a(n):

(X) Original Patent Application.

( ) Continuing Application (prior application not abandoned):

( ) Continuation ( ) Divisional ( ) Continuation-in-part (CIP)

of prior application No: \_\_\_\_\_ Filed on: \_\_\_\_\_

( ) A statement claiming priority under 35 USC § 120 has been added to the specification.

Enclosed are:

(X) Specification 43 Total Pages; (X) Drawing(s); 6 Total Sheets; (X) Cover Sheet 1 Page

(X) Oath or Declaration: 2 Pages

(X) A Newly Executed Combined Declaration and Power of Attorney:

(X) Signed. ( ) Unsigned. ( ) Partially Signed.

( ) A Copy from a Prior Application for Continuation/Divisional (37 CFR § 1.63(d)).

( ) Incorporation by Reference. The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied, is considered as being part of the disclosure of the accompanying application and is hereby incorporated herein by reference.

( ) Signed Statement Deleting Inventor(s) Named in the Prior Application. (37 CFR § 163(d)(2)).

( ) Power of Attorney.

(X) Return Receipt Postcard.

( ) Associate Power of Attorney.

(X) A Check in the amount of \$ 1,204.00 for the Filing Fee.

( ) Preliminary Amendment.

( ) Information Disclosure Statement and Form PTO-1449.

(X) A Duplicate Copy of this Form for Processing Fee Against Deposit Account.

( ) A Certified Copy of Priority Documents (if foreign priority is claimed).

( ) Applicant claims small entity status. See 37 CFR 1.27.

( ) Statement(s) of Status as a Small Entity Filed in Prior Application, Status Still Proper and Desired.

(X) Other: Recordation Cover Sheet, Executed Assignment, a check in the amount of \$40 to record assignment,

and Fee transmittal.

CLAIMS AS FILED				
FOR	NO. FILED	NO. EXTRA	RATE	FEE
Total Claims	43	23	\$18.00	\$ 414.00
Independent Claims	4	1	\$80.00	\$ 80.00
Multiple Dependent Claims (if applicable)				\$0.00
Assignment Recording Fee				\$40.00
Basic Filing Fee				\$710.00
Total Filing Fee				\$1,244.00

Charge \$ \_\_\_\_\_ to Deposit Account 50-1302 pursuant to 37 CFR § 1.25. At any time during the pendency of this application, please charge any fees required or credit any overpayment to this Deposit Account.

Respectfully submitted,

By:

Edward A. Becker, Attorney of Record, Reg. No. 37,777

Date: November 14, 2000

Correspondence Address:

Hickman Palermo Truong & Becker, LLP  
1600 Willow Street  
San Jose, California 95125-5106  
Telephone: (408) 414-1080  
Facsimile: (408) 414-1076

I hereby certify that this is being deposited with the U.S. Postal Service "Express Mail Post Office to Addressee" service under 37 CFR § 1.10 on the date indicated below and is addressed to:

Commissioner for Patents  
Box Patent Application  
Washington, D.C. 20231

By:

Typed Name: Casey Moore

Express Mail Label No.: EL652871021US

Date of Deposit: November 14, 2000

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

# FEE TRANSMITTAL for FY 2000

Patent fees are subject to annual revision,  
Small Entity payments must be supported by a small entity statement,  
otherwise large entity fees must be paid. See Forms PTO/SB/09-12.  
See 37 C.F.R. §§ 1.27 AND 1.28

TOTAL AMOUNT OF PAYMENT (\$), 1,244.00

## Complete if Known

Application Number	Not Yet Assigned
Filing Date	November 14, 2000
First Named Inventor	Pradeep Javangula, et al.
Examiner Name	Not Yet Assigned
Group/Art Unit	Not Yet Assigned
Attorney Docket No.	50269-0503

JC893 U.S. PTO  
09/713135

11/14/00

## METHOD OF PAYMENT (check one)

1. ☐ The Commissioner is hereby authorized to charge indicated fees and credit any overpayments to:

Deposit Account Number 50-1302

Deposit Account Name Hickman Palermo Truong & Becker, LLP

☒ Charge Any Additional Fee Required  
Under 37 CFR §§ 1.16 and 1.17

2. ☒ Payment Enclosed:

☒ Check ☐ Money Order ☐ Other

3. ☐ Applicant claims small entity status. See 37 CFR 1.27

## FEE CALCULATION (continued)

### 3. ADDITIONAL FEES

Large Entity		Small Entity		Fee Description	Fee Paid
Fee Code	Fee (\$)	Fee Code	Fee (\$)		
105	130	205	65	Surcharge - late filing fee or oath	
127	50	227	25	Surcharge - late provisional filing fee or cover sheet.	
139	130	139	130	Non-English specification	
112	920*	112	920*	Requesting publication of SIR prior to Examiner action	
113	1,840*	113	1,840*	Requesting publication of SIR after Examiner action	
115	110	215	55	Extension for reply within first month	
116	390	216	195	Extension for reply within second month	
117	890	217	445	Extension for reply within third month	
118	1,390	218	695	Extension for reply within fourth month	
128	1,890	228	945	Extension for reply within fifth month	
119	310	219	155	Notice of Appeal	
120	310	220	155	Filing a brief in support of an appeal	
121	270	221	135	Request for oral hearing	
138	1,510	138	1,510	Petition to institute a public use proceeding	
140	110	240	55	Petition to revive - unavoidable	
141	1,210	241	605	Petition to revive - unintentional	
142	1,210	242	605	Utility issue fee (or reissue)	
143	430	243	215	Design issue fee	
144	580	244	290	Plant issue fee	
122	130	122	130	Petitions to the Commissioner	
123	50	123	50	Petitions related to provisional applications	
126	240	126	240	Submission of information Disclosure Stmt	
581	40	581	40	Recording each patent assignment per property (times number of properties)	40.00
146	690	246	345	Filing a submission after final rejection (37 CFR § 1.129(a))	
149	690	249	345	For each additional invention to be examined (37 CFR § 1.129(b))	
Other fee (specify) _____					
Other fee (specify) _____					

## FEE CALCULATION

### 1. BASIC FILING FEE

Large Entity		Small Entity		Fee Description	Fee Paid
Fee Code	Fee (\$)	Fee Code	Fee (\$)		
101	710	201	355	Utility filing fee	710.00
106	320	206	160	Design filing fee	
107	490	207	245	Plant filing fee	
108	710	208	355	Reissue filing fee	
114	150	214	75	Provisional filing fee	

SUBTOTAL (1) (\$), 710.00

### 2. EXTRA CLAIM FEES

Total Claims		Extra Claims		Fee from Below	Fee Paid
Independent	Claims				
43	-20**=	23	X	18.00	= 414.00
4	-3**=	1	X	80.00	= 80.00
Multiple Dependent					=

\*\*or number previously paid, if greater; For Reissues, see below

Large Entity		Small Entity		Fee Description	Fee Paid
Fee Code	Fee (\$)	Fee Code	Fee (\$)		
103	18	203	9	Claims in excess of 20	
102	80	202	40	Independent claims in excess of 3	
104	270	204	135	Multiple dependent claim, if not paid	
109	80	209	40	**Reissue independent claims over original patent	
110	18	210	9	**Reissue claims in excess of 20 and over original patent	

SUBTOTAL (2) (\$), 1,204.00

\*Reduced by Basic Filing Fee Paid SUBTOTAL (3) (\$), 40.00

## SUBMITTED BY

Name (Print/Type) Edward M. Becker

Registration No. 37,777  
(Attorney/Agent)

Complete (if applicable)

Telephone (408) 414-1080

Signature

Date November 14, 2000

## WARNING:

Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231.  
DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, Washington, DC 20231.

50269-0503

Patent

UNITED STATES PATENT APPLICATION

FOR

APPROACH FOR PROCESSING ELECTRONIC ORDERS

INVENTORS:

PRADEEP JAVANGULA  
NORBERT HENDRIKSE  
SAILENDRA K. PADALA

PREPARED BY:

HICKMAN PALERMO TRUONG & BECKER LLP  
1600 WILLOW STREET  
SAN JOSE, CA 95125-5106  
(408) 414-1080

EXPRESS MAIL CERTIFICATE OF MAILING

"Express Mail" mailing label number EL652871021US

Date of Deposit November 14, 2000

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to the Commissioner of Patents and Trademarks, Washington, D.C. 20231.

CASEY MARR  
(Typed or printed name of person mailing paper or fee)

CASEY MARR  
(Signature of person mailing paper or fee)

## APPROACH FOR PROCESSING ELECTRONIC ORDERS

### FIELD OF THE INVENTION

The present invention relates generally to processing electronic orders, and more specifically, to an approach for allowing devices with minimal processing capabilities to make electronic orders.

### 5 BACKGROUND OF THE INVENTION

The worldwide packet data communication network now commonly referred to as the "Internet" has experienced extraordinary growth and acceptance. The Internet provides access to hundreds of millions of electronic documents, making it the largest single source of information in the world. As used herein, the term "electronic document" refers to any  
10 type of data or information in electronic form. Examples of electronic documents include, without limitation, text documents and web pages. In addition to providing access to vast amounts of information, the Internet provides a medium for a plethora of exciting and useful services such as electronic mail, user-to-user chat services and even the ability to place conventional telephone calls, sometimes referred to generally as "voice over IP."

15 Arguably one of the most important services provided by the Internet medium is electronic commerce or "ecommerce." Ecommerce refers to electronic transactions conducted over the Internet. The Internet allows customers to purchase a wide variety of products and services directly from merchants. Many merchant web sites and shopping portals sport sophisticated user interfaces that greatly simplify locating and purchasing  
20 products and services for customers at a reduced cost to consumers. For example, some shopping portals provide a comparative shopping feature that allows customers to compare

prices and terms offered by different merchants for the same or comparable products.

Customers have conventionally used personal computers to complete ecommerce transactions. The advent of small, mobile devices, such as Personal Digital Assistants (PDAs) and mobile telephones, allow users greater flexibility in conducting ecommerce transactions. Using mobile devices, customers can shop at multiple merchants and make purchases. Mobile devices with wireless Internet connections transform the concept of wireless computing and arguably greatly increase the value and usefulness of mobile devices. Customers can now view web pages from merchant sites and make purchases from any location, so long as they can establish a wireless connection to the Internet. The geographical regions available to wireless Internet customers continues to expand as wireless infrastructure grows.

There are several problems with processing ecommerce transactions over the Internet using mobile devices. First, it is difficult, and sometimes impossible, for mobile devices to process standard web pages because of processing limitations inherent in mobile devices. The relatively small screens and limited processing resources in mobile devices greatly inhibit or completely prevent the display of conventional web pages. For example, most cellular telephones necessarily have relatively small displays because of their small physical size. Second, by PC standards, mobile devices generally have fairly crude Graphical User Interfaces (GUIs). This makes specifying complete user information, such as billing and shipping information, as well as product information from mobile devices difficult and tedious. Third, providing web pages to mobile devices is generally significantly slower than to personal computers because of bandwidth limitations in wireless communications networks. These problems are exacerbated with web pages that are rich in

graphics. The result is that it is generally very difficult, if not impossible, to conduct ecommerce over the Internet with mobile devices using conventional web pages, especially over wireless communications links.

One solution to this problem is to generate special web pages for mobile devices that contain less “content” than conventional web pages. These pages generally contain only a subset of the text contained in conventional web pages and little or no graphical information. Despite the attractiveness of this solution, it has several significant drawbacks. First, the special web pages must be generated, which can require substantial computational and storage resources and place additional burdens on merchants. Moreover, the content of some web pages changes very frequently, which increases the frequency at which the corresponding special web pages must be re-generated. Generating special web pages “on-the-fly” can consume a significant amount of computational resources and increase the amount of time required to provide the special web pages to customers’ mobile devices. Furthermore, web pages have to be customized for different mobile devices since mobile devices do not necessarily use the same interface standard.

Second, merchant web sites must know to provide the special web pages instead of the full web pages, which requires that merchant web sites know when a web page request originates from a mobile device. This may require mobile devices to access merchant sites through a special portal or a proxy server.

Based upon the increasing need for customers to conduct ecommerce transactions over the Internet and the limitations in prior approaches, an approach for processing electronic orders that does not suffer from limitations in prior approaches is highly desirable. Further, based upon the particular limitations and problems associated with conducting

ecommerce transactions over the Internet using mobile devices with wireless connections to the Internet, there is a particular need for an approach for processing ecommerce transactions over the Internet from mobile devices with wireless connections to the Internet that does not suffer from the problems appurtenant to conventional approaches.

50269-0503

## SUMMARY OF THE INVENTION

According to one aspect of the invention, a method is provided for processing electronic orders. The method includes receiving from a mobile customer device first order data for an order and device identification data, wherein the first order data includes less than a minimum set of data required by a merchant to completely process the order and the device identification data identifies the mobile customer device. The method also includes retrieving, based upon the device identification data, at least one data item that is not contained in the first order data, but that is required to completely process the order. The method also includes generating, based upon the first order data and the at least one data item, second order data that includes the minimum set of data required by the merchant to completely process the order. The method also includes providing the second order data to the merchant for processing.

According to another aspect of the invention, a computer system for processing electronic orders is provided. The computer system includes one or more processors and a memory communicatively coupled to the one or more processors. The memory includes one or more sequences of one or more instructions which, when executed by the one or more processors, cause the one or more processors to perform several steps. The steps include receiving from a mobile customer device first order data for an order and device identification data. The first order data includes less than a minimum set of data required by a merchant to completely process the order and the device identification data identifies the mobile customer device. The steps also include retrieving, based upon the device identification data, at least one data item that is not contained in the first order data, but that is required to completely process the order. The



steps also include generating, based upon the first order data and the at least one data item, second order data that includes the minimum set of data required by the merchant to completely process the order. The steps also include providing the second order data to the merchant for processing.

According to another aspect of the invention, an apparatus is provided for processing electronic orders. The apparatus includes an information repository and a transaction facilitator communicatively coupled to the information repository. The transaction facilitator is configured to perform various functions, including receiving from a mobile customer device over a wireless communications link first order data for an order and device identification data, where in the first order data includes less than a minimum set of data required by a merchant to completely process the order and the device identification data identifies the mobile customer device. The transaction facilitator is also configured to retrieve from the information repository, based upon the device identification data, at least one data item that is not contained in the first order data, but that is required to completely process the order. The transaction facilitator is also configured to generate, based upon the first order data and the at least one data item, second order data that includes the minimum set of data required by the merchant to completely process the order. Finally, the transaction facilitator is configured to provide the second order data to the merchant for processing.

## BRIEF DESCRIPTION OF THE DRAWINGS

Embodiments of the invention are illustrated by way of example, and not by way of limitation, in the figures of the accompanying drawings and in which like reference numerals refer to similar elements and in which:

5           FIG. 1 is block diagram of an arrangement for processing electronic orders according to an embodiment of the invention;

          FIG. 2 is a flow diagram of an approach for processing electronic orders Internet according to an embodiment of the invention;

          FIG. 3 is a block diagram of an arrangement for processing electronic orders  
10       using a transaction facilitator and a information repository according to an embodiment;

          FIG. 4 is a block diagram of an arrangement for processing electronic orders using an enterprise adaptor coupled to merchant according to an embodiment;

          FIG. 5 is a block diagram of an arrangement for processing electronic orders using a shopping portal according to an embodiment of the invention; and

15       FIG. 6 is a block diagram of a computer system upon which embodiments of the invention may be implemented.

## DETAILED DESCRIPTION OF THE INVENTION

In the following description, for the purposes of explanation, specific details are set forth in order to provide a thorough understanding of the invention. However, it will be apparent that the invention may be practiced without these specific details. In other instances, well-known structures and devices are depicted in block diagram form in order to avoid unnecessarily obscuring the invention.

Various aspects of the invention are described in more detail hereinafter in the following sections: (1) functional overview; (2) selecting and assigning links to catalogs; (3) transaction encapsulation; (4) crawling links selected by the catalog manager; (5) document management and storage; (6) dynamic allocation and de-allocation of catalogs; (7) site information processing; (8) other architecture configurations; and (9) implementation mechanisms.

### 1. FUNCTIONAL OVERVIEW

Processing an electronic order in accordance with an embodiment of the invention generally involves receiving from a mobile customer device first order data for an order that contains less than a minimum set of data required by a merchant to completely process the order. Additional information required by the merchant to completely process the order is retrieved or otherwise obtained. Second order data is generated based upon the first order data and the additional information. The second order data contains at least the minimum set of data required by the merchant to completely process the order. The second order data is provided to a merchant for processing.

FIG. 1 is a block diagram of an arrangement 100 for processing electronic orders according to an embodiment of the invention. Arrangement 100 includes a customer

device 102, a transaction facilitator 104 and a merchant 106. Customer device 102 generates and provides first order data for an order for goods and/or services to transaction facilitator 104 over a communications link 108. The first order data specifies one or more products and/or services that a customer associated with customer device 102 desires to purchase from merchant 106. The first order data, however, contains less than a minimum set of data required by merchant 106 to completely process the order. Customer device 102 may be any mechanism for generating and providing orders to transaction facilitator 104. Examples of customer device 102 include, without limitation, a personal computer, a mobile device and a mobile telephone, such as a Wireless Access Protocol (WAP) telephone.

Transaction facilitator 104 generates second order data based upon the first order data from customer device 102 and other data retrieved or otherwise obtained by transaction facilitator 104. Unlike the first order data received from customer device 102, the second order data generated by transaction facilitator 104 contains at least the minimum set of data required by merchant 106 to process the order. The second order data generated by transaction facilitator 104 is provided to merchant 106 over a communications link 110 for processing by merchant 106. Transaction facilitator 104 may also format the second order data according to the requirements of merchant 106.

Communications links 108, 110 may be any mechanisms or mediums for exchanging data between customer device 102 and transaction facilitator 104 and between transaction facilitator 104 and merchant 106, respectively, and the invention is not limited to any particular mechanism or medium. Examples of communications links

108, 110 include, without limitation, direct connections, network connections, Internet connections and wireless communications links.

The approach for processing orders according to an embodiment of the invention is now described with reference to the arrangement 100 of FIG. 1 and a flow diagram 200 of FIG. 2. After starting in step 202, in step 204, customer device 102 generates and provides first order data for an order and device identification data to transaction facilitator 104 over communications link 108. The first order data specifies products or services that customer device 102 desires to receive from merchant 106. The first order data includes less than a minimum set of data required by merchant 106 to completely process the order. For example, the first order data may not include all of the billing, shipping or product information necessary for merchant 106 to completely process the order. The device identification data identifies the customer device.

Customer device 102 may have all information required to generate the first order data. Alternatively, customer device 102 may request or otherwise be provided information from transaction facilitator 104 required by customer device 102 to generate the first order data. For example, in the situation where customer device 102 is a mobile device that communicates with transaction facilitator 104 over a wireless Internet connection, customer device 102 may request and receive one or more web pages from transaction facilitator 104 that specify information about products and services offered by merchant 106. Customer device 102 may alternatively obtain product and service information, in any form, from a wireless application portal. Customer device 102 generates the first order data based upon the product and service information obtained by customer device 102.

In step 206, transaction facilitator 104 receives the first order data and the device identification data from customer device 102 over communications link 108. In step 208, transaction facilitator 104 retrieves, or otherwise obtains, based upon the device identification data, one or more data items that are not contained in or specified by the first order data, but that are required by merchant 106 to completely process the order. Examples of data items include, without limitation, billing, shipping and product information.

In step 210, transaction facilitator 104 generates second order data based upon the first order data and the one or more retrieved data items. The second order data includes at least the minimum set of data required by merchant 106 to completely process the order. In step 212, transaction facilitator 104 provides the second order data to merchant 106 over communications link 110. In step 214, merchant 106 completely processes and fulfills the order and the process is complete in step 216.

This approach for processing orders allows customer devices 102 to place orders without having to provide the minimal set of data required by merchant 106 to completely process the order. This reduces the amount of processing that must be performed by customer devices 102 to place orders and also reduces the amount of bandwidth required by communications link 108. This is particular beneficial for mobile customer devices that have limited processing capabilities and for wireless applications where bandwidth is limited. Furthermore, customer device 102 does not have to provide the first order data in a format required by merchant 106. The approach also does not require any modification to merchant 106 since orders are generated by transaction facilitator 104 with the format and content required by merchant 106.

## 2. INFORMATION REPOSITORY

According to one embodiment of the invention, an information repository is used to maintain information used to generate second order data provided to merchants. FIG. 3 is a block diagram of an arrangement 300 for processing electronic orders using a transaction facilitator 304 and an information repository 312 according to an embodiment of the invention.

Arrangement 300 includes a customer device 302, a transaction facilitator 304 and a merchant 306. Customer device 302 generates and provides first order data for an order to transaction facilitator 304 over a communications link 308. The first order data contains less than a minimum set of data required by merchant 306 to completely process the order. Transaction facilitator 304 generates second order data based upon the first order data received from customer device 302 and other data obtained by transaction facilitator 304. Unlike the first order data received from customer device 302, the second order data generated by transaction facilitator 304 contain at least the minimum set of data required by merchant 306 to process the order. The second order data generated by transaction facilitator 304 is provided to merchant 306 over communications link 310 for processing by merchant 306. Transaction facilitator 304 may also format the second order data according to the requirements of merchant 306.

Communications links 308, 310 may be implemented by any mechanisms or mediums for exchanging data between customer device 302 and transaction facilitator 304 and between transaction facilitator 304 and merchant 306, respectively and the invention is not limited to any particular mechanism or medium. Examples of

communications links 308, 310 include, without limitation, direct connections, network connections, Internet connections and wireless communications links.

Arrangement 300 also includes an information repository 312 communicatively coupled to transaction facilitator 304 via a communications link 314. As with  
5 communications links 308, 310, communications link 314 may be implemented by any mechanism or medium for exchanging data between information repository 312 and transaction facilitator 304. Information repository 312 may contain any data required to generate the second data that is not included in the first data. Examples of data maintained by information repository include, without limitation, customer, order  
10 fulfillment and product information used to process orders.

According to one embodiment of the invention, transaction facilitator 304 retrieves customer and order fulfillment information from information repository 312 based upon the device identification data received from customer device 302. For example, suppose that customer device 302 is a mobile customer device, such as a mobile  
15 telephone, and communications link 308 is a wireless communications link. Suppose further that the device identification data provided by customer device 302 is a telephone number for customer device 302. In this situation, transaction facilitator 304 uses the telephone number received from customer device 302 to retrieve, from information repository 312, billing and address information for customer device 302. Retrieving  
20 billing and address information from information repository 312 may also be based upon customer authentication data received from customer device 302, as described in more detail hereinafter. The billing and address information is used by transaction facilitator 304 to generate the second order data provided to merchant 306.



According to another embodiment of the invention, transaction facilitator 304 retrieves product information from information repository 312. Suppose that the first order data does not contain the minimum amount of product information required by merchant 306 to completely process the order. In this situation, transaction facilitator

5 examines the first order data and compares the product information contained in the first order data to the minimum amount of product information required by merchant 306 to completely process the order. Information that specifies the minimum amount of product information required by merchant 306 to completely process an order 304 may be maintained in information repository 312. In the present example, transaction facilitator

10 304 determines that the first order data does not contain the minimum product information and therefore retrieves additional product information from information repository 312 so that the second order data will contain at least the minimum product information required by merchant 306 to completely process the order. The additional product information may include, for example, a product identification code or

15 description or product pricing information. The additional product information may include merchant-specific information, such as a product code or symbol, required by merchant 306 to completely process the order.

In some situations the product information contained in the first order data provided by customer device 302 is not sufficiently specific to allow the minimum

20 amount of product information required by merchant 306 to be generated. This typically occurs where one or more required product attributes are not specified by customer device 302. For example, suppose that customer device 302 generates and provides to transaction facilitator 304 first order data that specifies an order for one dozen red roses

to be shipped in a box to a particular address. Suppose further that the first order data does not specify whether the roses are to be short or long stemmed, which is required by merchant 306 to completely process the order. In this situation, information from information repository 312 is not helpful since it cannot be determined from the first order data whether long or short-stemmed roses are to be ordered. Therefore, according to one embodiment of the invention, transaction facilitator 304 determines whether additional product information is required from customer device 302 to generate the second order data. To make this determination, transaction facilitator 304 examines the first order data received from customer device 302 to identify the particular product being ordered. Transaction facilitator 304 then retrieves data from information repository 312 that specifies the minimum product data required by merchant 306 for the particular product. Transaction facilitator 304 then compares the product data contained in the first data to the minimum set of product data required by merchant 306. For situations where additional information is required, transaction facilitator 304 generates and sends a request for additional information to customer device 302. In the present example where customer device 302 is a small mobile device, such as a PDA or mobile telephone, the request may cause a text message such as "Do You Want Long or Short-Stemmed Roses?" to be displayed on customer device 302, along with selection icons associate with long and short-stemmed roses. The request may be sent to customer device 302 over communications link 308 or another communications link. A user then selects one of the icons and additional order data is generated and sent by customer device 302 to transaction facilitator 304. Transaction facilitator 304 then uses the additional order data to complete the second order data for merchant 306. This approach may also be used in

situations where multiple interactions are required between customer device 302 and transaction facilitator 304.

According to one embodiment of the invention, transaction facilitator 304 retrieves information from information repository 312 that indicates alternative  
5 merchants for the particular product specified by the first order data. This allows transaction facilitator 304 to provide the second order data to the alternative merchants if the product is not available from merchant 306. For example, suppose that the first order data specifies an order for a particular product from merchant MMM. Transaction facilitator 304 queries information repository 312 and learns that merchant MMM no  
10 longer carries the particular product and that information repository 312 includes information that specifies another source, i.e., another merchant PPP, for the particular product. In this situation, transaction facilitator 304 generates the second order data to specify an order for the particular product from merchant PPP instead of merchant MMM.

15 According to one embodiment of the invention, transaction facilitator 304 retrieves information from information repository 312 that indicates alternative products when the particular product specified by the first order data is not available. For example, suppose that the first order data specified the purchase of product AAA that is no longer available. In this situation transaction facilitator 304 queries information  
20 repository 312 for equivalent products. Suppose that information contained in information repository 312 indicates that product BBB is an equivalent, i.e., a replacement, product for product AAA. Transaction facilitator 304 then generates the second order data to specify product BBB in place of product AAA.

Information repository 312 may be implemented in a variety of forms and the invention is not limited to any particular form. Example implementations of information repository 312 include, without limitation, a lookup table, a file server, a database system, a wallet server, or any other type of information management system for storing

5 customer, order fulfillment and product information. Information repository 312 may be co-located on the same computing platform as transaction facilitator 304 and merchant 306, or may be located on a different computing platform as in a distributed computing environment. Information repository 312 is illustrated in FIG. 3 as a separate entity for purposes of explanation, but may be integrated into transaction facilitator 304 or

10 merchant 306. Information contained in information repository 312 may be configured, i.e., created, edited or deleted, by users. For example, users (not illustrated) may access information repository 312 over a communications link using a generic Web browser to establish, edit or delete fulfillment information, such as billing or address information. Users may also configure information contained in information repository 312 using

15 customer device 302, assuming that customer device 302 has the necessary capability to perform this function.

### 3. TRANSACTION ENCAPSULATION

In some situations, processing an order between a customer and a merchant

20 requires several interactions between the customer and the merchant. Conventional order processing typically includes at least two phases, a product selection phase and a checkout phase. As previously described herein, the product selection phase may include several steps to adequately specify a particular product to purchase. A checkout phase

may also include several steps to confirm billing and shipping information and to perform a final purchase confirmation.

Therefore, according to one embodiment of the invention, transaction facilitator 304 interacts with merchant 306 on behalf of customer device 302. Specifically, transaction facilitator 304 performs some or all of the interactions that would ordinarily be performed directly between customer device 302 and merchant 306. This may include retrieving information, for example, billing and shipping information, from information repository 312 and providing this information to merchant 306. This may also include the extraction of data from merchant 306 and updating information repository 312 accordingly.

According to one embodiment of the invention, an XML-based programmatic representation of customer/merchant interaction is provided. An XML document is created to encapsulate process and data required by merchant 306 to completely process the order. More specifically, the XML document includes all process information and data required by merchant 306 to completely process the order. The XML document is generated and processed by transaction facilitator 304 to complete the interaction with merchant 306. The XML document may also be stored and reused again for another transaction. According to one embodiment of the invention, one or more XML configuration files are created for each merchant to provide merchant-specific process steps and data.

#### 4. CUSTOMER AUTHENTICATION

According to one embodiment of the invention, transaction facilitator 304 authenticates a customer associated with, i.e., a user of, customer device 302.

Transaction facilitator 304 receives customer authentication data from customer device 302. The customer authentication data may be included with the first order data, the device identification data or provided separately. Transaction facilitator 304 uses the customer authentication data to determine whether a user of customer device 302 is authorized to place a particular order. For example, suppose that the customer authentication data is in the form of a personal identification number (PIN). Transaction facilitator 304 compares the PIN provided by customer device 302 to data stored in information repository 312 for customer device 302 to determine whether the PIN provided by customer device 302 is a valid PIN for customer device 302. If the PIN provided by customer device 302 is a valid PIN for customer device 302 then transaction facilitator 304 allows the transaction to proceed normally. If the PIN provided by customer device 302 is not a valid PIN for customer device 302, then transaction facilitator 304 does not allow the transaction to be completed. In this situation, transaction facilitator 304 may, for example, send a message to customer device 302 to indicate that the PIN provided by customer device 302 is not valid.

## 5. ENTERPRISE ADAPTERS

According to another embodiment of the invention, an enterprise adaptor is associated with a merchant to provide a variety of services to a transaction facilitator. FIG. 4 is a block diagram of an arrangement 400 for processing electronic orders according to an embodiment of the invention using an enterprise adaptor 402 coupled to merchant 306. Enterprise adaptor 402 performs a variety of functions for transaction facilitator 304 and merchant 306 including transaction insertion, product/service publishing and product searching.

A. Transaction Insertion

One function provided by enterprise adaptor 402 on behalf of transaction facilitator 304 is “transaction insertion.” Transaction insertion generally involves providing the second order data generated by transaction facilitator 304 into the “back end” of the order processing mechanism of merchant 306. This avoids having to provide orders to merchant 306 using the conventional web page-based shopping interface 410. Instead of transaction facilitator 304 providing the second data to the web page-based shopping interface 410 provided by merchant 306, enterprise adaptor 402 receives the second order data from transaction facilitator 304 and inserts the second order data into the “back end” of the order processing mechanism of merchant 306. According to one embodiment of the invention, enterprise adaptor 402 also formats the second order data in the format required by the order processing mechanism of merchant 306. This relieves transaction facilitator 304 of the formatting burden.

B. Product/Service Publishing

According to one embodiment of the invention, enterprise adaptor 402 extracts product and service information from merchant 306 and publishes the product and service information to transaction facilitator 304. The product and service information is then formatted and provided by transaction facilitator 304 to customer device 302 in accordance with the requirements of a particular application. For example, in the situation where customer device 302 is a wireless mobile customer device, transaction facilitator 304 formats the product and service information according to the requirements of the particular wireless application protocol employed by transaction facilitator 304 and customer device 302.

The use of enterprise adaptor 402 for transaction insertion and product/service publishing allows merchant 306 to sell products and service to mobile users without having to make any customizations of its existing web-page based ordering system.

### C. Product Searching

5 Many merchants have web sites that contain large amounts of information about the products and services that they offer, but the information is not in a form that is readily searchable. The information may not be organized in a manner, or be in a form that is amenable, to searching. Merchants that have their web site information in a form suitable for searching, often do not have the ability to regularly re-generate the searchable  
10 data as readily as the information on their web site changes. Therefore, according to one embodiment of the invention, enterprise adaptor 402 provides a product search capability to merchant 306. This generally involves enterprise adaptor 402 extracting product and service information from merchant 306, aggregating the product/service information and providing the product/service information back to merchant 306 in a form that is readily  
15 searchable or in a form that can otherwise be readily used by merchant 306 to perform product/service searches. For example, merchant 306 may maintain a sophisticated web site that contains an extensive amount of information about products and services offered by merchant 306. Merchant 306 may not have the capability or expertise to effectively format and/or organize the product and service information on its web site in a form that  
20 is readily searchable. Therefore, enterprise adaptor 402 extracts product and search information from merchant 306, aggregates and/or formats the product and search information into a form that is readily searchable and/or useable by merchant 306 for searching. The aggregated/formatted information is then provided to merchant 306.



## 6. SHOPPING SERVICES

According to one embodiment of the invention, a transaction facilitator is used in conjunction with a shopping portal to process electronic orders. FIG. 5 is a block diagram of an arrangement 500 for processing electronic orders using a shopping portal according to an embodiment of the invention. In arrangement 500, a shopping portal 502 is communicatively coupled to customer device 302 via a communications link 504 and to merchant 506 via a communications link 506. Shopping portal 502 may optionally be communicatively coupled to transaction facilitator 304 via a communications link 508.

In arrangement 500, shopping portal 502 provides product and service information to customer device 302 according to the type of customer device 302 and the communications protocol used between customer device 302 and shopping portal 502. Shopping portal 502 obtains the product and service information from merchant 306, aggregates the information and provides the information to customer device 302 in a form most suitable for customer device 302. Customer device 302 provides first order data and device identification data to transaction facilitator 304. Transaction facilitator 304 generates second order data based upon the first order data and the device identification data and provides the second order data to merchant 306.

## 7. COMMUNICATIONS PROTOCOLS AND FORMATTING

A variety of communications protocols may be used to exchange data between customer device 302, transaction facilitator 304, merchant 306, information repository 312 and shopping portal 502. The communications protocol used for communications between customer device 302 and transaction facilitator 304 may be different than the communications protocol used for communications between transaction facilitator 304

and merchant 306. Thus, customer device 302 is not required to support the communications protocols of merchant 306 and may support a merchant independent communications protocol.

- According to one embodiment of the invention, Inktomi Corporation's
- 5 Transaction Exchange Protocol (TXP) is used for communications on communications link 308 and also on communications link 310 when enterprise adaptor 402 is used.

## 8. IMPLEMENTATION MECHANISMS

The approach for processing electronic orders is applicable to any electronic order applications. The approach may be implemented at any type of intermediary, such as

10 shopping portals, or as a stand-alone mechanism. The approach may also be implemented at merchant sites. Embodiments of the invention may be implemented in hardware circuitry, in computer software, or a combination of hardware circuitry and computer software and the invention is not limited to a particular hardware or software implementation.

- 15 Figure 6 is a block diagram that illustrates a computer system 600 upon which an embodiment of the invention may be implemented. Computer system 600 includes a bus 602 or other communication mechanism for communicating information, and a processor 604 coupled with bus 602 for processing information. Computer system 600 also includes a main memory 606, such as a random access memory (RAM) or other dynamic storage
- 20 device, coupled to bus 602 for storing information and instructions to be executed by processor 604. Main memory 606 also may be used for storing temporary variables or other intermediate information during execution of instructions to be executed by processor 604. Computer system 600 further includes a read only memory (ROM) 608 or other static

storage device coupled to bus 602 for storing static information and instructions for processor 604. A storage device 610, such as a magnetic disk or optical disk, is provided and coupled to bus 602 for storing information and instructions.

Computer system 600 may be coupled via bus 602 to a display 612, such as a  
5 cathode ray tube (CRT), for displaying information to a computer user. An input device 614, including alphanumeric and other keys, is coupled to bus 602 for communicating information and command selections to processor 604. Another type of user input device is cursor control 616, such as a mouse, a trackball, or cursor direction keys for communicating direction information and command selections to processor 604 and for  
10 controlling cursor movement on display 612. This input device typically has two degrees of freedom in two axes, a first axis (e.g., x) and a second axis (e.g., y), that allows the device to specify positions in a plane.

The invention is related to the use of computer system 600 for processing electronic orders. According to one embodiment of the invention, the processing of  
15 electronic orders is provided by computer system 600 in response to processor 604 executing one or more sequences of one or more instructions contained in main memory 606. Such instructions may be read into main memory 606 from another computer-readable medium, such as storage device 610. Execution of the sequences of instructions contained in main memory 606 causes processor 604 to perform the process steps  
20 described herein. One or more processors in a multi-processing arrangement may also be employed to execute the sequences of instructions contained in main memory 606. In alternative embodiments, hard-wired circuitry may be used in place of or in combination with software instructions to implement the invention. Thus, embodiments of the

invention are not limited to any specific combination of hardware circuitry and software.

The term “computer-readable medium” as used herein refers to any medium that participates in providing instructions to processor 604 for execution. Such a medium may take many forms, including but not limited to, non-volatile media, volatile media, and transmission media. Non-volatile media includes, for example, optical or magnetic disks, such as storage device 610. Volatile media includes dynamic memory, such as main memory 606. Transmission media includes coaxial cables, copper wire and fiber optics, including the wires that comprise bus 602. Transmission media can also take the form of acoustic or light waves, such as those generated during radio wave and infrared data communications.

Common forms of computer-readable media include, for example, a floppy disk, a flexible disk, hard disk, magnetic tape, or any other magnetic medium, a CD-ROM, any other optical medium, punch cards, paper tape, any other physical medium with patterns of holes, a RAM, a PROM, and EPROM, a FLASH-EPROM, any other memory chip or cartridge, a carrier wave as described hereinafter, or any other medium from which a computer can read.

Various forms of computer readable media may be involved in carrying one or more sequences of one or more instructions to processor 604 for execution. For example, the instructions may initially be carried on a magnetic disk of a remote computer. The remote computer can load the instructions into its dynamic memory and send the instructions over a telephone line using a modem. A modem local to computer system 600 can receive the data on the telephone line and use an infrared transmitter to convert the data to an infrared signal. An infrared detector coupled to bus 602 can receive the data carried

in the infrared signal and place the data on bus 602. Bus 602 carries the data to main memory 606, from which processor 604 retrieves and executes the instructions. The instructions received by main memory 606 may optionally be stored on storage device 610 either before or after execution by processor 604.

5           Computer system 600 also includes a communication interface 618 coupled to bus 602. Communication interface 618 provides a two-way data communication coupling to a network link 620 that is connected to a local network 622. For example, communication interface 618 may be an integrated services digital network (ISDN) card or a modem to provide a data communication connection to a corresponding type of telephone line. As  
10           another example, communication interface 618 may be a local area network (LAN) card to provide a data communication connection to a compatible LAN. Wireless links may also be implemented. In any such implementation, communication interface 618 sends and receives electrical, electromagnetic or optical signals that carry digital data streams representing various types of information.

15           Network link 620 typically provides data communication through one or more networks to other data devices. For example, network link 620 may provide a connection through local network 622 to a host computer 624 or to data equipment operated by an Internet Service Provider (ISP) 626. ISP 626 in turn provides data communication services through the worldwide packet data communication network now commonly referred to as  
20           the "Internet" 628. Local network 622 and Internet 628 both use electrical, electromagnetic or optical signals that carry digital data streams. The signals through the various networks and the signals on network link 620 and through communication interface 618, which carry

the digital data to and from computer system 600, are exemplary forms of carrier waves transporting the information.

Computer system 600 can send messages and receive data, including program code, through the network(s), network link 620 and communication interface 618. In the  
5 Internet example, a server 630 might transmit a requested code for an application program through Internet 628, ISP 626, local network 622 and communication interface 618. In accordance with the invention, one such downloaded application provides for processing electronic orders as described herein. The received code may be executed by processor 604 as it is received, and/or stored in storage device 610, or other non-volatile  
10 storage for later execution. In this manner, computer system 600 may obtain application code in the form of a carrier wave.

The novel approach described herein for processing electronic orders provides several advantages over prior approaches. First, customer devices can successfully place orders without having to provide the minimum set of data normally required by  
15 merchants to completely process orders. This reduces the amount of processing that must be performed by customer devices which can be particularly important for mobile customer devices, such as mobile telephones, mobile devices or other handheld devices, that have limited processing capabilities. For example, in the context of a particular customer device placing an order with a merchant over the Internet, the particular  
20 customer device does not have to process conventional HTML web pages. The particular customer device may instead provide only a small subset of the minimum set of data required by merchants. Reducing the amount of data that must be provided by customer devices over communications links also reduces the amount of bandwidth required for

customer devices to place orders, which can be particularly beneficial for wireless applications or other limited bandwidth applications.

Second, the format of orders made by customer devices may be completely independent of order formats required by merchants since transaction facilitator 104 handles formatting. This provides many benefits. For example, this eliminates the need for customer devices to support multiple merchant formats that may vary greatly from merchant to merchant. Similarly, this also eliminates the need for merchants to support different customer device formats that may vary greatly and change frequently, particularly for wireless application protocols.

10 Third, the approach allows customer device orders to be placed directly with merchants, thereby avoiding the use of conventional web page interfaces supported by merchants.

In the foregoing specification, the invention has been described with reference to specific embodiments thereof. However, various modifications and changes may be made thereto without departing from the broader spirit and scope of the invention. The specification and drawings are, accordingly, to be regarded in an illustrative sense rather than a restrictive sense.

## CLAIMS

What is claimed is:

- 1 1. A method for processing electronic orders comprising the computer-implemented  
2 steps of:  
3 receiving from a mobile customer device first order data for an order and device  
4 identification data, wherein the first order data includes less than a  
5 minimum set of data required by a merchant to completely process the  
6 order and the device identification data identifies the mobile customer  
7 device;  
8 retrieving, based upon the device identification data, at least one data item that is  
9 not contained in the first order data, but that is required to completely  
10 process the order;  
11 generating, based upon the first order data and the at least one data item, second  
12 order data that includes the minimum set of data required by the merchant  
13 to completely process the order; and  
14 providing the second order data to the merchant for processing.
- 1 2. The method as recited in Claim 1, wherein the method further comprises:  
2 receiving customer authentication data for a customer associated with the mobile  
3 customer device, and  
4 authenticating the customer using the customer authentication data.
- 1 3. The method as recited in Claim 2, wherein:  
2 the customer authentication data includes a Personal Identification Number (PIN)  
3 for the customer, and



4 the method further comprises authenticating the customer using the PIN.

1 4. The method as recited in Claim 1, wherein:

2 the first order data includes customer identification data that identifies a customer,

3 the method further comprises retrieving, based upon the customer identification

4 data, order fulfillment information associated with the customer, and

5 the step of generating, based upon the first order data and the at least one data

6 item, second order data that includes the minimum set of data required by

7 the merchant to completely process the order includes generating, based

8 upon the first order data, the at least one data item and the order

9 fulfillment information, second order data that includes the minimum set

10 of data required by the merchant to completely process the order.

1 5. The method as recited in Claim 4, wherein:

2 the order fulfillment information includes billing information for the customer,

3 the step of retrieving order fulfillment information associated with the customer

4 includes retrieving billing information for the customer, and

5 the step of generating, based upon the first order data, the at least one data item

6 and the order fulfillment information, second order data that includes the

7 minimum set of data required by the merchant to completely process the

8 order includes generating, based upon the first order data, the at least one

9 data item and the billing information, second order data that includes the

10 minimum set of data required by the merchant to completely process the

11 order.

1 6. The method as recited in Claim 4, wherein:

2 the order fulfillment information includes shipping information for the customer,  
3 and  
4 the step of retrieving order fulfillment information associated with the customer  
5 includes retrieving shipping information for the customer.

1 7. The method as recited in Claim 1, wherein the step of generating, based upon the  
2 first order data and the at least one data item, second order data that includes the  
3 minimum set of data required by the merchant to completely process the order  
4 includes generating, based upon the first order data and the at least one data item,  
5 second order data that includes the minimum set of data in a format required by  
6 the merchant to completely process the order.

1 8. The method as recited in Claim 1, wherein the method further comprises  
2 retrieving product information based upon the first order data, and  
3 the step of generating, based upon the first order data and the at least one data  
4 item, second order data that includes the minimum set of data required by  
5 the merchant to completely process the order includes generating, based  
6 upon the first order data, the at least one data item and the product  
7 information, second order data that includes the minimum set of data  
8 required by the merchant to completely process the order.

1 9. The method as recited in Claim 1, wherein the method further comprises  
2 determining that the merchant cannot completely process the order, and  
3 providing the second order data to a second merchant for processing.

1 10. The method as recited in Claim 1, wherein:  
2 the order is for a particular product or service,

3 the order cannot be completely processed by the merchant, and  
4 the step of generating, based upon the first order data and the at least one data  
5 item, the second order data includes generating, based upon the first order  
6 data and the at least one data item, second order data that includes the  
7 minimum set of data required by the merchant to completely process an  
8 order for a second product or service.

1 11. The method as recited in Claim 1, wherein the first order data and the device  
2 identification data are received from the mobile customer device over a wireless  
3 communications link.

1 12. The method as recited in Claim 1, wherein the mobile customer device is a mobile  
2 telephone and the device identification data is a telephone number for the mobile  
3 telephone.

1 13. The method as recited in Claim 1, wherein the mobile customer device is a  
2 personal digital assistant.

1 14. The method as recited in Claim 1, wherein the mobile customer device is a mobile  
2 personal computer.

1 15. A computer-readable medium carrying one or more sequences of one or more  
2 instructions which, when executed by one or more processors, cause the one or  
3 more processors to perform the steps of:  
4 receiving from a mobile customer device first order data for an order and device  
5 identification data, wherein the first order data includes less than a  
6 minimum set of data required by a merchant to completely process the  
7 order and the device identification data identifies the mobile customer

8 device;  
9 retrieving, based upon the device identification data, at least one data item that is  
10 not contained in the first order data, but that is required to completely  
11 process the order;  
12 generating, based upon the first order data and the at least one data item, second  
13 order data that includes the minimum set of data required by the merchant  
14 to completely process the order; and  
15 providing the second order data to the merchant for processing.

1 16. The computer-readable medium as recited in Claim 15, further comprising one or  
2 more additional sequences of instructions which, when executed by the one or  
3 more processors, cause the one or more processors to perform the steps of:  
4 receiving customer authentication data for a customer associated with the mobile  
5 customer device, and  
6 authenticating the customer using the customer authentication data.

1 17. The computer-readable medium as recited in Claim 16, wherein:  
2 the customer authentication data includes a Personal Identification Number (PIN)  
3 for the customer, and  
4 the computer-readable medium further comprises one or more additional  
5 sequences of instructions which, when executed by the one or more  
6 processors, cause the one or more processors to perform the step of  
7 method further comprises authenticating the customer using the PIN.

1 18. The computer-readable medium as recited in Claim 15, wherein:  
2 the first order data includes customer identification data that identifies a customer,

3 the computer-readable medium further comprises one or more additional  
4 sequences of instructions which, when executed by the one ore more  
5 processors, cause the one or more processors to perform the step of  
6 retrieving, based upon the customer identification data, order fulfillment  
7 information associated with the customer, and  
8 the step of generating, based upon the first order data and the at least one data  
9 item, second order data that includes the minimum set of data required by  
10 the merchant to completely process the order includes generating, based  
11 upon the first order data, the at least one data item and the order  
12 fulfillment information, second order data that includes the minimum set  
13 of data required by the merchant to completely process the order.

1 19. The computer-readable medium as recited in Claim 18, wherein:  
2 the order fulfillment information includes billing information for the customer,  
3 the step of retrieving order fulfillment information associated with the customer  
4 includes retrieving billing information for the customer, and  
5 the step of generating, based upon the first order data, the at least one data item  
6 and the order fulfillment information, second order data that includes the  
7 minimum set of data required by the merchant to completely process the  
8 order includes generating, based upon the first order data, the at least one  
9 data item and the billing information, second order data that includes the  
10 minimum set of data required by the merchant to completely process the  
11 order.

1 20. The computer-readable medium as recited in Claim 18, wherein:

2 the order fulfillment information includes shipping information for the customer,  
3 and  
4 the step of retrieving order fulfillment information associated with the customer  
5 includes retrieving shipping information for the customer.

1 21. The computer-readable medium as recited in Claim 15, wherein the step of  
2 generating, based upon the first order data and the at least one data item, second  
3 order data that includes the minimum set of data required by the merchant to  
4 completely process the order includes generating, based upon the first order data  
5 and the at least one data item, second order data that includes the minimum set of  
6 data in a format required by the merchant to completely process the order.

1 22. The computer-readable medium as recited in Claim 15, further comprising one or  
2 more additional sequences of instructions which, when executed by the one or  
3 more processors, cause the one or more processors to perform the steps of:  
4 retrieving product information based upon the first order data, and  
5 the step of generating, based upon the first order data and the at least one data  
6 item, second order data that includes the minimum set of data required by  
7 the merchant to completely process the order includes generating, based  
8 upon the first order data, the at least one data item and the product  
9 information, second order data that includes the minimum set of data  
10 required by the merchant to completely process the order.

1 23. The computer-readable medium as recited in Claim 15, further comprising one or  
2 more additional sequences of instructions which, when executed by the one or  
3 more processors, cause the one or more processors to perform the steps of:

4 determining that the merchant cannot completely process the order, and  
5 providing the second order data to a second merchant for processing.

1 24. The computer-readable medium as recited in Claim 1, wherein:  
2 the order is for a particular product or service,  
3 the order cannot be completely processed by the merchant, and  
4 the step of generating, based upon the first order data and the at least one data  
5 item, the second order data includes generating, based upon the first order  
6 data and the at least one data item, second order data that includes the  
7 minimum set of data required by the merchant to completely process an  
8 order for a second product or service.

1 25. The computer-readable medium as recited in Claim 15, wherein the first order  
2 data and the device identification data are received from the mobile customer  
3 device over a wireless communications link.

1 26. The computer-readable medium as recited in Claim 15, wherein the mobile  
2 customer device is a mobile telephone and the device identification data is a  
3 telephone number for the mobile telephone.

1 27. The computer-readable medium as recited in Claim 15, wherein the mobile  
2 customer device is a personal digital assistant.

1 28. The computer-readable medium as recited in Claim 15, wherein the mobile  
2 customer device is a mobile personal computer.

1 29. A computer system for processing electronic orders comprising:  
2 one or more processors; and  
3 a memory communicatively coupled to the one or more processors, wherein the

4 memory includes one or more sequences of one more instructions which,  
5 when executed by the one or more processors, cause the one or more  
6 processors to perform the steps of:  
7 receiving from a mobile customer device first order data for an order and  
8 device identification data, wherein the first order data includes less  
9 than a minimum set of data required by a merchant to completely  
10 process the order and the device identification data identifies the  
11 mobile customer device;  
12 retrieving, based upon the device identification data, at least one data item  
13 that is not contained in the first order data, but that is required to  
14 completely process the order;  
15 generating, based upon the first order data and the at least one data item,  
16 second order data that includes the minimum set of data required by  
17 the merchant to completely process the order; and  
18 providing the second order data to the merchant for processing.

1 30. The computer system as recited in Claim 29, wherein the memory includes one or  
2 more additional sequences of one or more instructions which, when executed by  
3 the one or more processors, cause the one or more processors to perform the steps  
4 of:

5 receiving customer authentication data for a customer associated with the mobile  
6 customer device, and  
7 authenticating the customer using the customer authentication data.

1 31. The computer system as recited in Claim 30, wherein:



2 the customer authentication data includes a Personal Identification Number (PIN)  
3 for the customer, and  
4 the memory includes one or more additional sequences of one or more  
5 instructions which, when executed by the one or more processors, cause  
6 the one or more processors to perform the step of authenticating the  
7 customer using the PIN.

1 32. The computer system as recited in Claim 29, wherein:

2 the first order data includes customer identification data that identifies a customer,  
3 the memory includes one or more additional sequences of one or more  
4 instructions which, when executed by the one or more processors, cause  
5 the one or more processors to perform the step of retrieving, based upon  
6 the customer identification data, order fulfillment information associated  
7 with the customer, and  
8 the step of generating, based upon the first order data and the at least one data  
9 item, second order data that includes the minimum set of data required by  
10 the merchant to completely process the order includes generating, based  
11 upon the first order data, the at least one data item and the order  
12 fulfillment information, second order data that includes the minimum set  
13 of data required by the merchant to completely process the order.

1 33. The computer system as recited in Claim 32, wherein:

2 the order fulfillment information includes billing information for the customer,  
3 the step of retrieving order fulfillment information associated with the customer  
4 includes retrieving billing information for the customer, and

5 the step of generating, based upon the first order data, the at least one data item  
6 and the order fulfillment information, second order data that includes the  
7 minimum set of data required by the merchant to completely process the  
8 order includes generating, based upon the first order data, the at least one  
9 data item and the billing information, second order data that includes the  
10 minimum set of data required by the merchant to completely process the  
11 order.

1 34. The computer system as recited in Claim 32, wherein:  
2 the order fulfillment information includes shipping information for the customer,  
3 and  
4 the step of retrieving order fulfillment information associated with the customer  
5 includes retrieving shipping information for the customer.

1 35. The computer system as recited in Claim 29, wherein the step of generating,  
2 based upon the first order data and the at least one data item, second order data  
3 that includes the minimum set of data required by the merchant to completely  
4 process the order includes generating, based upon the first order data and the at  
5 least one data item, second order data that includes the minimum set of data in a  
6 format required by the merchant to completely process the order.

1 36. The computer system as recited in Claim 29, wherein:  
2 the memory includes one or more additional sequences of one or more  
3 instructions which, when executed by the one or more processors, cause  
4 the one or more processors to perform the step of retrieving product  
5 information based upon the first order data, and

6 the step of generating, based upon the first order data and the at least one data  
7 item, second order data that includes the minimum set of data required by  
8 the merchant to completely process the order includes generating, based  
9 upon the first order data, the at least one data item and the product  
10 information, second order data that includes the minimum set of data  
11 required by the merchant to completely process the order.

1 37. The computer system as recited in Claim 29, wherein the memory further includes  
2 one or more additional sequences of one or more instructions which, when  
3 executed by the one or more processors, cause the one or more processors to  
4 perform the steps of:  
5 determining that the merchant cannot completely process the order, and  
6 providing the second order data to a second merchant for processing.

1 38. The computer system as recited in Claim 29, wherein:  
2 the order is for a particular product or service,  
3 the order cannot be completely processed by the merchant, and  
4 the step of generating, based upon the first order data and the at least one data  
5 item, the second order data includes generating, based upon the first order  
6 data and the at least one data item, second order data that includes the  
7 minimum set of data required by the merchant to completely process an  
8 order for a second product or service.

1 39. The computer system as recited in Claim 29, wherein the first order data and the  
2 device identification data are received from the mobile customer device over a  
3 wireless communications link.

1 40. The computer system as recited in Claim 29, wherein the mobile customer device  
2 is a mobile telephone and the device identification data is a telephone number for  
3 the mobile telephone.

1 41. The computer system as recited in Claim 29, wherein the mobile customer device  
2 is a personal digital assistant.

1 42. The computer system as recited in Claim 29, wherein the mobile customer device  
2 is a mobile personal computer.

1 43. An apparatus for processing electronic orders comprising:  
2 an information repository; and  
3 a transaction facilitator communicatively coupled to the information repository,  
4 wherein the transaction facilitator is configured to:  
5 receive from a mobile customer device over a wireless communications  
6 link first order data for an order and device identification data,  
7 wherein the first order data includes less than a minimum set of data  
8 required by a merchant to completely process the order and the  
9 device identification data identifies the mobile customer device;  
10 retrieve from the information repository, based upon the device  
11 identification data, at least one data item that is not contained in the  
12 first order data, but that is required to completely process the order;  
13 generate, based upon the first order data and the at least one data item,  
14 second order data that includes the minimum set of data required by  
15 the merchant to completely process the order, and  
16 provide the second order data to the merchant for processing.


- 1     44.     The apparatus as recited in Claim 43, wherein:
- 2             the merchant is configured with a web-based order interface, and
- 3             the second order data is provided directly to the merchant, circumventing the
- 4             web-based order interface.

50269-0503


## ABSTRACT OF THE DISCLOSURE

Processing an electronic order involves receiving from a mobile customer device first order data for an order that contains less than a minimum set of data required by a merchant to completely process the order. Additional information required by the merchant to completely process the order is retrieved. Second order data is generated  
5 based upon the first order data and the additional information. The second order data contains at least the minimum set of data required by the merchant to completely process the order. The second order data is provided to a merchant for processing.

**FIG. 1**




**FIG. 2**






**FIG. 3**



**FIG. 4**



**FIG. 5**

500  
↓





FIG. 6



## **DECLARATION AND POWER OF ATTORNEY**

As a below named inventor, I hereby declare that:

My residence, post office and citizenship are as stated below next to my name,

I believe I am an original, first and joint inventor of the subject matter claimed and for which a patent is sought on the invention entitled APPROACH FOR PROCESSING ELECTRONIC ORDERS, the specification of which

☒ is attached hereto

☐ was filed on \_\_\_\_\_ as Application Serial No. \_\_\_\_\_ and was amended on (if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is known to me to be material to patentability in accordance with Title 37, Code of Federal Regulations, Section 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, Section 119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

<b>Prior Foreign Application(s):</b>			<b>Priority Claimed</b>	
<b><u>Number</u></b>	<b><u>Country</u></b>	<b><u>Day/Month/Year filed</u></b>	<b><u>Yes</u></b>	<b><u>No</u></b>

I hereby claim the benefit under 35 USC §119(e) of any United States provisional application(s) listed below.

<b>Prior Provisional Application(s):</b>	<b><u>Filing Date</u></b>
<b><u>Application Number</u></b>	

I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, Section 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, Section 1.56 which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

<b>Prior U. S. Application(s):</b>		
<b><u>Serial No.</u></b>	<b><u>Filing Date</u></b>	<b><u>Status: Patented, Pending, Abandoned</u></b>

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of

Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

I hereby appoint the following attorney(s) and/or agent(s): Brian D. Hickman, Reg. No. 35,894, Christopher J. Palermo, Reg. No. 42,056, Bobby K. Truong, Reg. No. 37,499, Edward A. Becker, Reg. No. 37,777, Marcel K. Bingham, Reg. No. 42,327, Carl L. Brandt, Reg. No. 44,555, Carina M. Tan, Reg. No. 45,769, and Craig G. Holmes, Reg. No. 44,770, all of

HICKMAN PALERMO TRUONG & BECKER, LLP  
1600 Willow Street  
San Jose, California 95125-5106

with full power of substitution and revocation, to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith, and all future correspondence should be addressed to them.

Full name of sole or first inventor: PRADEEP JAVANGULA

Inventor's signature: *P. Javangula*

Date: 11/06/2000

Residence:

*San Jose, California*

Citizenship:

*Indian*

Post Office Address:

*5819, Pala Mesa Drive, San Jose, CA 95123*

Full name of second or joint inventor: NORBERT HENDRIKSE

Inventor's signature: *N. Hendrikse*

Date: 11/06/2000

Residence:

*Berkeley, CA*

Citizenship:

*Netherlands*

Post Office Address:

*1014 Grizzly Peak Blvd., Berkeley, CA 94708*

Full name of third or joint inventor: SAIENDRA K. PADALA

Inventor's signature: *S. Padala*

Date: 11/06/00

Residence:

*1521 DEANZA BLVD SAN MATEO 94403*

Citizenship:

*INDIAN*

Post Office Address:

*1521 DEANZA BLVD SAN MATEO 94403*